

Jonathan David Istok

Push-Pull Tests for Site Characterization



Lecture Notes in Earth System Sciences 144

Editors:

P. Blondel, BathJ. Reitner, GöttingenK. Stüwe, GrazM.H. Trauth, PotsdamD. Yuen, Minneapolis

Founding Editors:

G. M. Friedman, Brooklyn and Troy A. Seilacher, Tübingen and Yale

For further volumes: http://www.springer.com/series/10529

Jonathan David Istok

Push-Pull Tests for Site Characterization



Jonathan David Istok School of Civil and Construction Engineering Oregon State University Corvallis 97331 Oregon USA

ISSN 2193-8571 ISSN 2193-858X (electronic) ISBN 978-3-642-13919-2 DOI 10.1007/978-3-642-13920-8 (eBook) DOI 10.1007/978-3-642-13920-8 Springer Heidelberg New York Dordrecht London

Library of Congress Control Number: 2012945899

© Springer-Verlag Berlin Heidelberg 2013

This work is subject to copyright. All rights are reserved by the Publisher, whether the whole or part of the material is concerned, specifically the rights of translation, reprinting, reuse of illustrations, recitation, broadcasting, reproduction on microfilms or in any other physical way, and transmission or information storage and retrieval, electronic adaptation, computer software, or by similar or dissimilar methodology now known or hereafter developed. Exempted from this legal reservation are brief excerpts in connection with reviews or scholarly analysis or material supplied specifically for the purpose of being entered and executed on a computer system, for exclusive use by the purchaser of the work. Duplication of this publication or parts thereof is permitted only under the provisions of the Copyright Law of the Publisher's location, in its current version, and permission for use must always be obtained from Springer. Permissions for use may be obtained through RightsLink at the Copyright Clearance Center. Violations are liable to prosecution under the respective Copyright Law.

The use of general descriptive names, registered names, trademarks, service marks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

While the advice and information in this book are believed to be true and accurate at the date of publication, neither the authors nor the editors nor the publisher can accept any legal responsibility for any errors or omissions that may be made. The publisher makes no warranty, express or implied, with respect to the material contained herein.

Printed on acid-free paper

Springer is part of Springer Science+Business Media (www.springer.com)

Push-Pull Tests for Site Characterization

Jonathan ("Jack") Istok, PhD, PE Professor School of Civil and Construction Engineering Oregon State University Corvallis, OR 97331 Jack.Istok@oregonstate.edu 541-737-8547



Summary

This book has described and hopefully demonstrated that the single-well, push-pull test, in all its various manifestations, is a useful tool for site characterization, pilot testing of various remediation strategies, and so on. The advantages of in situ testing are clear, and the push-pull format makes it possible to perform field experiments at relevant scales for a modest cost and with no more logistical complexity than a laboratory experiment. Often in the biogeochemical sciences, we think of research as a linear process from small-scale laboratory development to ultimate (usually at a date a long way off) full-scale field application. However, using the push-pull test it is possible to conduct field experiments in parallel with laboratory experiments and this should lead to better synergy between the two. Simple field experiments have the remarkable ability to sharpen experimental design by identifying the most important parameters to control in laboratory experiments and to quickly select the most promising small-scale procedures and techniques to further develop in the laboratory. Nevertheless, much developmental work on the push-pull test format remains to be done. Additional numerical and analytical methods for interpreting push-pull test breakthrough curves for the ever more complicated biogeochemical systems being studied are needed. The design of push-pull tests can be refined to incorporate valuable auxiliary data such as isotopic composition of test solutions, microbial community dynamics, surface chemistry reactions, and so on. To date, only a limited number of push-pull tests have been conducted (using gas phase tracers) in the vadose zone and these have focused on a single microbial process (methane oxidation). Most push-pull tests have been conducted in the near surface (<100 m deep), but the test is potentially most valuable in deep subsurface environments where the costs of drilling for sample collection are very high. Thus, push-pull tests in deep boreholes on land and beneath the seafloor hold great potential in elucidating important biogeochemical processes in those environments. Combining push-pull tests with various geophysical imaging techniques also holds great promise because of the ability to modify the subsurface environment (e.g., by injecting electrolytes that can be detected by electrical conductivity arrays) in defined ways and thus identify preferential flow paths, reactive surface areas, etc.